BR 65

Tempest

CC013/20

150
BR 65
Tempest



BR65
Tempest

TECHNICAL SPECIFICATION

Length o.a.:	**6.50 mt**
Beam o.a.:	**2,58 mt**
Tube diameter:	**0,52 mt max**
Dry weight (approx.)	**1020 kg**
Max people on board:	**n. 10**
Max engine power:	**200 HP (1 XL)**
Propulsion:	**Outboard**
Certification CE:	**C**
Tube:	**Neoprene Hypalon Orca® 1670 dtex**





STANDARD EQUIPMENTS

- Cuscineria / Deck upholstery
- Pannello elettrico / Electric panel;
- Luci navigazione / Navigation lights;
- Parabrezza cristallo e plexiglass / Glass and plexiglass windscreen;
- Plancia poppa integrata / Integrated stern platform;
- Pompa sentina / Bilge pump;
- Rivestimento flexiteek trincarini e gradino prua / Flexiteek covering on stringers and bow step;
- Scaletta / Ladder
- Serbatoio / Fuel tank lt 220;
- Tavolo / Table;
- Porta-bicchieri / Glass-holder;
- Tergicristiallo tribordo / Starboard wiper

OPTIONAL EQUIPMENTS

- Asta sci / Ski pole
- Completamento cuscineria prua / Additional fore sunbathing kit
- Doccia (lt 45) / Shower (lt 45)
- Frigorifero a cassetto (lt 16) / Drawer fridge (lt 16)
- Radio / Radio
- Rivestimento flexiteek pozzetto (include pozzetto e secondo gradino prua) / Flexiteek covering on cockpit (stern platform and second bow step included)
- Telo copripozzetto / Stern area cover
- Telo completamento copripozzetto / Additional stern area cover
- Tendalino a scomparsa / SS pull-down bimini top
- Tergicristallo babordo / Port wiper
- Timoneria idraulica sea star / Sea star hydraulic steering

All features and data concerning the whole production are not binding.
Cantieri Capelli reserves the right to modify them without advance notice