



CAPELLI

CC006/20



*tempest  
workline*







tempest**900**work



tempest**750**work



tempest**700**work



tempest**625**work



tempest**560**work



tempest**500/430**work





TECHNICAL FEATURES

LENGTH O.A.	9,10 mt
BEAM O.A.	3,26 mt
TUBE DIAMETER	0,65 mt max
DRY WEIGHT	1500 kg
MAX. PEOPLE ON BOARD	22
MAX. ENGINE POWER	500 HP (1 U / 2XL)
CERTIFICATION CE	B
TUBE	Neoprene - Hypalon Orca® 1670 dtex











TECHNICAL FEATURES

LENGTH O.A.	7,48 mt
BEAM O.A.	2,97 mt
TUBE DIAMETER	0,65 mt max
DRY WEIGHT	950 kg
MAX. PEOPLE ON BOARD	24
MAX. ENGINE POWER	250 HP (1 XL)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1670 dtex











TECHNICAL FEATURES

LENGTH O.A.	6,92 mt
BEAM O.A.	2,85 mt
TUBE DIAMETER	0,60 mt max
DRY WEIGHT	800 kg
MAX. PEOPLE ON BOARD	16
MAX. ENGINE POWER	200 HP (1 XL)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1670 dtex







TECHNICAL FEATURES

LENGTH O.A.	6,25 mt
BEAM O.A.	2,65 mt
TUBE DIAMETER	0,56 mt max
DRY WEIGHT	550 kg
MAX. PEOPLE ON BOARD	14
MAX. ENGINE POWER	175 HP (1 L)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1670 dtex





tempest**560**work



TECHNICAL FEATURES

LENGTH O.A.	5,60 mt
BEAM O.A.	2,59 mt
TUBE DIAMETER	0,56 mt max
DRY WEIGHT	480 kg
MAX. PEOPLE ON BOARD	12
MAX. ENGINE POWER	135 HP (1 L)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1100dtex



tempest**500/430**work



TECHNICAL FEATURES

LENGTH O.A.	5,01 mt / 4,30 mt
BEAM O.A.	2,33 mt / 2,03 mt
TUBE DIAMETER	0,53 mt max / 0,45 mt max
DRY WEIGHT	350 kg / 200 kg
MAX. PEOPLE ON BOARD	9 / 6
MAX. ENGINE POWER	110 HP (1 L) / 40 HP (1 L)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1100dtex









## OPTIONAL EQUIPMENTS



Console TE500/430work



Special console TE500/430work



Jockey console



Panca/Bench TE500/430work



Jockey panca/bench

## DOTAZIONI - EQUIPMENT

	900 WORK	750 WORK	700 WORK	625 WORK	560 WORK	500 WORK	430 WORK
Asta da sci - Ski bar			●				
Bussola - Compass	■	■					
Consolle di guida - Steering console	■	■	■	■	■	●	●
Consolle jockey - Jockey console						●	●
Copriconsole - Console cover	●		●		●		
Copripanca - Bench cover							
Cuscini di prua - Fore sunbathing cushions	●	●					
Doccia - Shower	●						
	lt.60						
Frigorifero - Refrigerator	●						
	lt.48						
Gonfiatore - Inflating pump	■	■	■	■	■	■	■
	ELECTRIC						
Luci di navigazione - Navigation lights	■	● ON A-FRAME	● ON A-FRAME	● ON A-FRAME	● ON A-FRAME	● ON A-FRAME	
Kit pulizia - Polishing kit	■						
Kit panca poppa - Stern bench kit		●					
Musone prua VTR - FRP Bow roller	■						
Pagaie - Paddles		■	■	■	■	■	■
Panca guida leaning post - Leaning post	■	■	■		■		
Panca guida VTR - FRP Steering bench				■		●	●
Pannello elettrico - Electric panel	■	■	■	■	■		
Panchetta jockey doppia - Double seat jockey bench	●	●	●	●			
Panchetta jockey singola - Single seat jockey bench	●	●	●	●			
Parabrezza - Windscreen	■	■	■	■	■		
Pompa sentina - Bilge pump	■	■	■	■	■	■	
	AUTOMATIC	AUTOMATIC	AUTOMATIC	AUTOMATIC	AUTOMATIC	AUTOMATIC	
Portabombole inox - Stainless steel dive bottle rack	●	●	●	●	●	●	
	12 units	12 units	12 units	8 units	6 units	6 units	
Roll-bar inox - Stainless steel A-frame	●	●	●	●	●	●	
Scaletta - Ladder	■	●	●	●	●	●	
Serbatoio benzina - Fuel tank (Circa - Approx)	■	■	■	■	●	●	
	lt.370**	lt.300	lt.205	lt.140	lt.86	lt.53	
Soft top inox - SS soft top	●	●	●				
Strozzascotte in gomma prua - Gum bow roller		■	■	■	■	■	
Telo ricovero - Storage boat cover			●	●	●		
Timoneria idraulica - Hydraulic steering	■	■	■	●			
Verricello elettrico - Electric winch	●***						

■ Standard ● Optional

\*\*Optional serbatoio maggiorato da lt. 540;  
Option bigger fuel tank 540 lt. capacity

\*\*\*Disponibile solo con apposita  
delfiniera VTR;  
Available only with special FRP  
bow pylon

Tutte le caratteristiche relative all'intera gamma non sono vincolanti. Cantieri Capelli si riserva il diritto di modificarle senza preavviso. Le imbarcazioni raffigurate possono essere equipaggiate con accessori optional;  
All features and data concerning our whole production are not binding. The shipyard Capelli reserves the right to modify them without advance notice. The boats shown can be equipped with additional optional;

